## NSN 5915-01-188-1569

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-188-1569

Overall Length:
2.250 inches
Body Length:
1.500 inches
Body Width:
1.250 inches
Body Height:
1.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.800 inches
Reference Frequency Per Function:
100.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Input Terminal Manufacturer Code:
81413
Input Terminal Identification:
Sma-receptacle
Output Terminal Manufacturer Code:
81413
Output Terminal Identification:
Sma-receptacle
Voltage Standing Wave Ratio Per Function:
1.4 blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
2 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
0.5 blank
Functional Terminal Type And Quantity:
1 connector, receptacle input 1st function1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 50.00 megahertz blank and 85.00 megahertz blank and 130.00 megahertz blank
Thread Size:
0.112 inches

## **NSN 5915-01-188-1569** High Pass Filter - Page 2 of 2



Body Material:
Metal
Frequency Band Width Per Function:
85.00 megahertz blank and 130.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
55.0 blank and 55.0 blank and 1.0 blank and 1.0 blank
Voltage Standing Wave Ratio Frequency Limits Per Function:
85.0 megahertz blank and 130.0 megahertz blank
Unpackaged Unit Weight:
4.000 ounces
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A047b0