

View Online at <https://aerobasegroup.com/nsn/5915-01-192-8671>

Overall Length:

5.900 inches

Overall Height:

1.750 inches

Body Length:

5.000 inches

Body Width:

1.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.000 inches

Vibration Resistance Range In Hertz:

+5.0/+25.0

Operating Temperature Range:

-0.0/+85.0 degrees celsius

End Application:

Receiving set, countermeasures an/wlq- (v)

Reference Frequency Per Function:

455.0 kilohertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Input Terminal Manufacturer Code:

07397

Output Terminal Manufacturer Code:

07397

Voltage Standing Wave Ratio Per Function:

1.5 blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

7.0 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

431.00 kilohertz blank and 443.50 kilohertz blank and 466.50 kilohertz blank and 479.00 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

443.50 kilohertz blank and 466.50 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

443.5 kilohertz blank and 466.5 kilohertz blank

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0