

View Online at <https://aerobasegroup.com/nsn/5915-01-205-2643>

Overall Length:

7.100 inches

Body Outside Diameter:

0.250 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Reference Frequency Per Function:

1.5 gigahertz blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Input Terminal Manufacturer Code:

96906

Input Terminal Identification:

M39012/56-3026

Output Terminal Manufacturer Code:

96906

Output Terminal Identification:

M39012/56-3026

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

0.2 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 gigahertz blank and 2.00 gigahertz blank and 9.00 gigahertz blank and 11.00 gigahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

1.00 gigahertz blank and 2.00 gigahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 24.0 blank and 24.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

1.0 gigahertz blank and 2.0 gigahertz blank

Unpackaged Unit Weight:

18.0 grams

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0