NSN 5915-01-210-3978

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-210-3978

Overall Length:
3.230 inches
Overall Height:
1.835 inches
Body Length:
2.880 inches
Body Width:
2.250 inches
Body Height:
0.910 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.480 inches
Vibration Resistance Range In Hertz:
+10.0 to 500.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.850 inches
Operating Tempurature Range:
-55.0 to 85.0 degrees celsius
End Application:
5865-01-145-5197 countermeasures
Source Impedance Rating Per Function:
50.0 ohms 3rd radio interference 3rd function
Load Impedance Per Function:
50.0 ohms 5th radio interference 5th function
Power Line Frequency Rating Per Function In Hertz:
400.0 4th radio interference 4th function
Operating Current Rating Per Function In Amps:
1.5 3rd radio interference 3rd function
Maximum Voltage Drop Per Function:
1.0 volts dc 5th radio interference 5th function
Principal Circuitry Type Per Function:
Inductance-capacitance 5th radio interference 5th function
Maximum Tempurature Rise:
25.0 degrees celsius
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
5 threaded hole all functions

7 tab, solder lug output 2nd function

Functional Terminal Type And Quantity:

NSN 5915-01-210-3978

A047b0

Radio Frequency Interference Filter - Page 2 of 2



Operating Voltage Rating And Type Per Function:
125.0 volts ac 1st radio interference 1st function
Thread Size:
0.138 inches
Body Material:
Metal
Body Surface Treatment:
Tin
Special Features:
$2 \ unfiltered \ functions; \ 2 \ dummy \ turret \ terminals; \ secondary \ mounting, \ two \ 0.112-40 \ unc \ threaded \ inserts$
Style Designator:
Rectangular terminal/terminals on three surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: