NSN 5915-01-213-8422

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-213-8422

Overall Length:

3.188 inches

Body Outside Diameter:

0.505 inches

Reference Frequency Per Function:

0.36 gigahertz blank all functions

Source Impedance Rating Per Function:

50.0 ohms blank all functions

Load Impedance Per Function:

50.0 ohms blank all functions

Input Terminal Manufacturer Code:

49956

Input Terminal Identification:

Sma-male

Output Terminal Manufacturer Code:

49956

Output Terminal Identification:

Sma-female

Voltage Standing Wave Ratio Per Function:

1.6 blank all functions

Average Power Rating Per Function:

25.0 watts blank all functions

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal all functions

Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank all functions

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

0.20 gigahertz blank and 0.28 gigahertz blank and 0.40 gigahertz blank and 0.68 gigahertz blank all functions

Body Material:

Metal

Frequency Band Width Per Function:

0.40 gigahertz blank and 0.68 gigahertz blank all functions

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 30.0 blank and 3.0 blank and 3.0 blank all functions

Voltage Standing Wave Ratio Frequency Limits Per Function:

0.4 gigahertz blank and 0.68 gigahertz blank all functions

Unpackaged Unit Weight:

5.000 ounces

NSN 5915-01-213-8422

High Pass Filter - Page 2 of 2



Sty	le	De	sig	ına	ito	r	

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0