## NSN 5915-01-214-3168

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-214-3168

Overall Height:
1.255 inches
Body Length:
3.500 inches
Body Width:
0.680 inches
Body Height:
0.630 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 2.993 inches and 3.007 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 0.343 inches and 0.357 inches
Average Life Rating In Hours:
50000.0
Reference Frequency Per Function:
725.0 kilohertz blank all functions
Source Impedance Rating Per Function:
100.0 ohms blank all functions
Load Impedance Per Function:
100.0 ohms blank all functions
Principal Circuitry Type Per Function:
Inductance-capacitance blank all functions
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 terminal all functions
Insertion Loss At Reference Frequency Per Function In Decibels:
0.7 blank all functions
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
560.00 kilohertz blank and 725.00 kilohertz blank and 1.67 megahertz blank and 2.95 megahertz blank all functions
Body Material:
Metal
Frequency Band Width Per Function:
560.00 kilohertz blank and 725.00 kilohertz blank all functions
Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 70.0 blank all functions
Style Designator:
Rectangular terminal/terminals on one surface

N/a

Shelf Life:

## NSN 5915-01-214-3168

Low Pass Filter - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0