# NSN 5915-01-214-3170

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-214-3170

## **Overall Height:**

1.255 inches

#### **Body Length:**

3.500 inches

#### **Body Width:**

0.680 inches

#### **Body Height:**

0.630 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 2.993 inches and 3.007 inches

### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.343 inches and 0.357 inches

#### Average Life Rating In Hours:

50000.0

#### **Reference Frequency Per Function:**

1.43 megahertz blank all functions

#### Source Impedance Rating Per Function:

100.0 ohms blank all functions

#### Load Impedance Per Function:

100.0 ohms blank all functions

#### Principal Circuitry Type Per Function:

Inductance-capacitance blank all functions

#### Inclosure Type:

Hermetically sealed

#### Mounting Facility Type And Quantity:

4 terminal all functions

#### Insertion Loss At Reference Frequency Per Function In Decibels:

0.7 blank all functions

#### **Functional Terminal Type And Quantity:**

2 pin ground 3rd function

# Specified Frequencies Of Discrimination Per Function:

1.10 megahertz blank and 1.43 megahertz blank and 3.33 megahertz blank and 5.90 megahertz blank all functions

## **Body Material:**

Metal

# Frequency Band Width Per Function:

1.10 megahertz blank and 1.43 megahertz blank all functions

# Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 70.0 blank all functions

# Style Designator:

Rectangular terminal/terminals on one surface

## Shelf Life:

N/a

# NSN 5915-01-214-3170

Low Pass Filter - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0

