

View Online at <https://aerobasegroup.com/nsn/5915-01-215-2159>

Overall Height:

1.400 inches

Body Length:

2.380 inches

Body Width:

1.000 inches

Body Height:

1.060 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.938 inches

Vibration Resistance Range In Hertz:

+10.0 to 2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.562 inches

Reference Frequency Per Function:

30.0 megahertz blank all functions

Source Impedance Rating Per Function:

50.0 ohms blank all functions

Load Impedance Per Function:

50.0 ohms blank all functions

Input Terminal Manufacturer Code:

50140

Input Terminal Identification:

Pc mounting

Output Terminal Manufacturer Code:

50140

Output Terminal Identification:

Pc mounting

Voltage Standing Wave Ratio Per Function:

1.5 blank all functions

Average Power Rating Per Function:

15.0 watts blank all functions

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded hole all functions

Insertion Loss At Reference Frequency Per Function In Decibels:

7.0 blank all functions

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

26.10 megahertz blank and 29.00 megahertz blank and 31.00 megahertz blank and 33.90 megahertz blank all functions

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

29.00 megahertz blank and 31.00 megahertz blank all functions

Discrimination At Specificationified Frequencies Per Function In Decibels:

50.0 blank and 3.0 blank and 3.0 blank and 50.0 blank all functions

Voltage Standing Wave Ratio Frequency Limits Per Function:

29.0 megahertz blank and 31.0 megahertz blank all functions

Unpackaged Unit Weight:

3.000 ounces

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0