

View Online at <https://aerobasegroup.com/nsn/5915-01-219-8963>

Overall Height:

1.780 inches

Body Length:

3.000 inches

Body Width:

1.590 inches

Body Height:

1.400 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.285 inches

Vibration Resistance Range In Hertz:

+10.0 to 2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.156 inches

Operating Temperature Range:

-55.0 to 125.0 degrees celsius

End Application:

5895-00-222-4224 communication s

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference 2nd function

Load Impedance Per Function:

50.0 ohms 2nd radio interference 2nd function

Power Line Frequency Rating Per Function In Hertz:

440.0 2nd radio interference 2nd function

Operating Current Rating Per Function In Amps:

2.0 1st radio interference 1st function

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd radio interference 2nd function

Maximum Temperature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded hole 1st function

Functional Terminal Type And Quantity:

2 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

280.0 volts ac 2nd radio interference and 600.0 volts dc 2nd radio interference 2nd function

Thread Size:

0.112 inches

Maximum Dielectric Withstanding Dc Voltage:

600.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0