

View Online at <https://aerobasegroup.com/nsn/5915-01-219-8963>

**Overall Height:**

1.780 inches

**Body Length:**

3.000 inches

**Body Width:**

1.590 inches

**Body Height:**

1.400 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.285 inches

**Vibration Resistance Range In Hertz:**

+10.0 to 2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.156 inches

**Operating Temperature Range:**

-55.0 to 125.0 degrees celsius

**End Application:**

5895-00-222-4224 communication s

**Source Impedance Rating Per Function:**

50.0 ohms 2nd radio interference 2nd function

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference 2nd function

**Power Line Frequency Rating Per Function In Hertz:**

440.0 2nd radio interference 2nd function

**Operating Current Rating Per Function In Amps:**

2.0 1st radio interference 1st function

**Principal Circuitry Type Per Function:**

Inductance-capacitance 2nd radio interference 2nd function

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded hole 1st function

**Functional Terminal Type And Quantity:**

2 tab, solder lug output 2nd function

**Operating Voltage Rating And Type Per Function:**

280.0 volts ac 2nd radio interference and 600.0 volts dc 2nd radio interference 2nd function

**Thread Size:**

0.112 inches

**Maximum Dielectric Withstanding Dc Voltage:**

600.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0