

View Online at <https://aerobasegroup.com/nsn/5915-01-220-1641>

Overall Length:

6.750 inches

Overall Height:

4.130 inches

Body Length:

4.500 inches

Body Width:

9.500 inches

Body Height:

3.380 inches

Unthreaded Mounting Hole Diameter:

0.218 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

6.150 inches

Vibration Resistance Range In Hertz:

+10.0 to 500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

10.400 inches

Operating Temperature Range:

-55.0 to 85.0 degrees celsius

End Application:

Communications control center an/tsq-11 (v)

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference 2nd function

Load Impedance Per Function:

50.0 ohms 2nd radio interference 2nd function

Power Line Frequency Rating Per Function In Hertz:

60.0 2nd radio interference 2nd function

Operating Current Rating Per Function In Amps:

30.0 1st radio interference 1st function

Maximum Voltage Drop Per Function:

1.25 volts ac 2nd radio interference 2nd function

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd radio interference 2nd function

Input Terminal Manufacturer Code:

96906

Input Terminal Identification:

Ms3450w16-10p

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

14 unthreaded hole 1st function

Functional Terminal Type And Quantity:

2 threaded stud output 2nd function

Operating Voltage Rating And Type Per Function:

125.0 volts ac 1st radio interference 1st function

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

500.0 volts at sea level

Unpackaged Unit Weight:

14.500 pounds

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0