

View Online at <https://aerobasegroup.com/nsn/5915-01-220-9820>

Overall Length:

6.195 inches

Mounting Slot Width:

0.250 inches

Body Length:

5.570 inches

Body Width:

3.000 inches

Body Height:

1.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

6.320 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.500 inches

Operating Temperature Range:

-55.0 to 85.0 degrees celsius

End Application:

OI-170

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference 2nd function

Load Impedance Per Function:

50.0 ohms 2nd radio interference 2nd function

Power Line Frequency Rating Per Function In Hertz:

400.0 2nd radio interference 2nd function

Operating Current Rating Per Function In Amps:

5.0 2nd radio interference 2nd function

Maximum Voltage Drop Per Function:

1.15 volts ac 2nd radio interference 2nd function

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd radio interference 2nd function

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud 2nd function

Functional Terminal Type And Quantity:

2 threaded stud input 1st function

Maximum Dielectric Withstanding Ac Rms Voltage:

230.0 volts at sea level

Operating Voltage Rating And Type Per Function:

115.0 volts ac 2nd radio interference and 400.0 volts dc 2nd radio interference 2nd function

Thread Size:

0.190 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

800.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0