

View Online at <https://aerobasegroup.com/nsn/5915-01-225-8381>

Overall Height:

0.380 inches

Body Length:

1.750 inches

Body Width:

1.250 inches

Body Height:

0.355 inches

Unthreaded Mounting Hole Diameter:

Between 0.113 inches and 0.139 inches

Vibration Resistance Range In Hertz:

+30.0 to 500.0

Reference Frequency Per Function:

10.2 megahertz blank all functions

Source Impedance Rating Per Function:

50.0 ohms blank all functions

Load Impedance Per Function:

50.0 ohms blank all functions

Principal Circuitry Type Per Function:

Inductance-capacitance blank all functions

Voltage Standing Wave Ratio Per Function:

1.5 blank all functions

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 unthreaded hole all functions

Insertion Loss At Reference Frequency Per Function In Decibels:

4.5 blank all functions

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

10.075 megahertz blank and 10.175 megahertz blank and 10.225 megahertz blank and 10.325 megahertz blank all functions

Body Material:

Metal

Frequency Band Width Per Function:

10.175 megahertz blank and 10.225 megahertz blank all functions

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 30.0 blank all functions

Voltage Standing Wave Ratio Frequency Limits Per Function:

10.175 megahertz blank and 10.225 megahertz blank all functions

Special Features:

Match set of three

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0