

View Online at <https://aerobasegroup.com/nsn/5915-01-226-9977>

**Overall Height:**

5.630 inches

**Body Length:**

9.500 inches

**Body Width:**

7.000 inches

**Body Height:**

3.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

8.370 inches

**Vibration Resistance Range In Hertz:**

+10.0 to 500.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

6.250 inches

**Operating Temperature Range:**

-65.0 to 85.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms 3rd radio interference 3rd function

**Load Impedance Per Function:**

50.0 ohms 4th radio interference 4th function

**Power Line Frequency Rating Per Function In Hertz:**

400.0 4th radio interference 4th function

**Operating Current Rating Per Function In Amps:**

55.0 1st radio interference 1st function

**Maximum Voltage Drop Per Function:**

2.5 volts ac 4th radio interference and 4.0 volts dc 4th radio interference 4th function

**Principal Circuitry Type Per Function:**

Inductance-capacitance 3rd radio interference 3rd function

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

8 threaded hole all functions

**Functional Terminal Type And Quantity:**

4 threaded stud output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

1.2 kilovolts at sea level

**Operating Voltage Rating And Type Per Function:**

250.0 volts ac 4th radio interference and 400.0 volts dc 4th radio interference 4th function

**Thread Size:**

0.190 inches

**Body Material:**

Metal

**Body Surface Treatment:**

Tin

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0