

View Online at <https://aerobasegroup.com/nsn/5915-01-231-8267>

Overall Length:

6.040 inches

Overall Height:

2.750 inches

Body Length:

5.500 inches

Body Width:

1.750 inches

Body Height:

2.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.900 inches

Vibration Resistance Range In Hertz:

+10.0 to 2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.882 inches

Operating Temperature Range:

-55.0 to 105.0 degrees celsius

End Application:

An/apq172vf

Source Impedance Rating Per Function:

50.0 ohms 3rd radio interference 3rd function

Load Impedance Per Function:

50.0 ohms 4th radio interference 4th function

Power Line Frequency Rating Per Function In Hertz:

400.0 3rd radio interference 3rd function

Operating Current Rating Per Function In Amps:

4.0 4th radio interference 4th function

Maximum Voltage Drop Per Function:

1.15 volts ac 3rd radio interference 3rd function

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd radio interference 3rd function

Input Terminal Manufacturer Code:

96906

Input Terminal Identification:

Ms3443h18c-11p

Maximum Temperature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

7 threaded hole all functions

Functional Terminal Type And Quantity:

6 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 3rd radio interference 3rd function

Thread Size:

0.164 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

230.0 volts at sea level

Body Surface Treatment:

Tin

Special Features:

2 non-filtered functions

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0