## NSN 5915-01-231-8267

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-231-8267 **Overall Length:** 6.040 inches **Overall Height:** 2.750 inches **Body Length:** 5.500 inches **Body Width:** 1.750 inches **Body Height:** 2.500 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 4.900 inches **Vibration Resistance Range In Hertz:** +10.0 to 2000.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.882 inches **Operating Tempurature Range:** -55.0 to 105.0 degrees celsius **End Application:** An/apq172vf **Source Impedance Rating Per Function:** 50.0 ohms 3rd radio interference 3rd function **Load Impedance Per Function:** 50.0 ohms 4th radio interference 4th function **Power Line Frequency Rating Per Function In Hertz:** 400.0 3rd radio interference 3rd function **Operating Current Rating Per Function In Amps:** 4.0 4th radio interference 4th function **Maximum Voltage Drop Per Function:** 1.15 volts ac 3rd radio interference 3rd function **Principal Circuitry Type Per Function:** Inductance-capacitance 3rd radio interference 3rd function **Input Terminal Manufacturer Code:** 96906 Input Terminal Identification: Ms3443h18c-11p **Maximum Tempurature Rise:** 25.0 degrees celsius **Mounting Facility Screw Thread Series Designator:** Unc

**Inclosure Type:** 

Encased

## NSN 5915-01-231-8267

Radio Frequency Interference Filter - Page 2 of 2



Mounting Facility Type And Quantity:
7 threaded hole all functions
Functional Terminal Type And Quantity:
6 tab, solder lug output 2nd function
Operating Voltage Rating And Type Per Function:
115.0 volts ac 3rd radio interference 3rd function
Thread Size:
0.164 inches
Body Material:
Metal
Maximum Dielectric Withstanding Dc Voltage:
230.0 volts at sea level
Body Surface Treatment:
Tin
Special Features:
2 non-filtered functions
Style Designator:
Rectangular terminal/terminals on two surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A047b0