

View Online at <https://aerobasegroup.com/nsn/5915-01-233-3159>

Overall Height:

2.935 inches

Body Length:

4.500 inches

Body Width:

3.500 inches

Body Height:

1.620 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.875 inches

Vibration Resistance Range In Hertz:

+10.0 to 500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.875 inches

Operating Temperature Range:

-55.0 to 125.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 3rd radio interference 3rd function

Load Impedance Per Function:

50.0 ohms 4th radio interference 4th function

Power Line Frequency Rating Per Function In Hertz:

400.0 4th radio interference 4th function

Operating Current Rating Per Function In Amps:

7.0 2nd radio interference 2nd function

Maximum Voltage Drop Per Function:

1.15 volts ac 4th radio interference 4th function

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd radio interference 3rd function

Input Terminal Manufacturer Code:

23939

Input Terminal Identification:

Ms3454w18-11p

Maximum Temperature Rise:

85.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded hole all functions

Functional Terminal Type And Quantity:

4 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 4th radio interference 4th function

Thread Size:

0.138 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

230.0 volts at sea level

Special Features:

Four filtered functions

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0