

View Online at <https://aerobasegroup.com/nsn/5915-01-244-6629>

**Overall Length:**

Between 5.330 inches and 5.420 inches

**Overall Height:**

Between 2.220 inches and 2.280 inches

**Body Length:**

Between 4.470 inches and 4.530 inches

**Body Width:**

Between 2.350 inches and 2.410 inches

**Body Height:**

Between 1.470 inches and 1.530 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 3.985 inches and 4.015 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Operating Temperature Range:**

+0.0/+75.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms 2nd radio interference

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

60.0 2nd radio interference

**Operating Current Rating Per Function In Amps:**

8.0 2nd radio interference

**Maximum Voltage Drop Per Function:**

1.3 volts dc 2nd radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 2nd radio interference

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Features Provided:**

Moisture resistant and shock resistant

**Functional Terminal Type And Quantity:**

2 threaded stud input 1st function

**Operating Voltage Rating And Type Per Function:**

115.0 volts ac 2nd radio interference 2nd function

**Thread Size:**

0.164 inches

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

500.0 volts at sea level

**Special Features:**

Two unfiltered functions

**Unpackaged Unit Weight:**

2.000 pounds

**Style Designator:**

Rectangular terminal/terminals on two surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0