

View Online at <https://aerobasegroup.com/nsn/5915-01-248-3332>

**Overall Length:**

12.000 inches

**Overall Height:**

4.900 inches

**Body Length:**

12.030 inches

**Body Width:**

8.030 inches

**Body Height:**

4.530 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

11.260 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

7.260 inches

**Operating Temperature Range:**

-18.0/+70.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Source Impedance Rating Per Function:**

50.0 ohms 4th radio interference

**Load Impedance Per Function:**

50.0 ohms 4th radio interference

**Power Line Frequency Rating Per Function In Hertz:**

60.0 3rd radio interference

**Operating Current Rating Per Function In Amps:**

25.0 2nd radio interference

**Maximum Voltage Drop Per Function:**

3.12 volts ac 4th radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 3rd radio interference

**Input Terminal Manufacturer Code:**

81349

**Input Terminal Identification:**

A10-24-10p-10-1a

**Output Terminal Manufacturer Code:**

81349

**Output Terminal Identification:**

A10-24-10s-10-1a

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

6 threaded hole

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Operating Voltage Rating And Type Per Function:**

208.0 volts ac 4th radio interference 4th function

**Thread Size:**

0.190 inches

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

1000.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on two surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0