

View Online at <https://aerobasegroup.com/nsn/5915-01-251-0031>

Operating Temperature Range:

-55.0/+85.0 degrees celsius

End Application:

5865-01-145-4898 processing group

Reference Frequency Per Function:

126.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

108.00 megahertz blank and 123.00 megahertz blank and 129.00 megahertz blank and 154.00 megahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

123.00 megahertz blank and 129.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

50.0 blank and 3.0 blank and 3.0 blank and 52.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

123.0 megahertz blank and 129.0 megahertz blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0