

View Online at <https://aerobasegroup.com/nsn/5915-01-251-4906>

Overall Length:

19.000 inches

Body Length:

14.680 inches

Body Width:

3.750 inches

Body Height:

4.280 inches

Unthreaded Mounting Hole Diameter:

0.234 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference 50.0 ohms 3rd radio interference 50.0 ohms 4th radio interference 50.0 ohms 5th radio interference 50.0 ohms 6th radio interference

Load Impedance Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference 50.0 ohms 3rd radio interference 50.0 ohms 4th radio interference 50.0 ohms 5th radio interference 50.0 ohms 6th radio interference

Power Line Frequency Rating Per Function In Hertz:

60.0 1st radio interference 60.0 2nd radio interference 60.0 3rd radio interference 60.0 4th radio interference 60.0 5th radio interference 60.0 6th radio interference

Operating Current Rating Per Function In Amps:

10.0 1st radio interference 10.0 2nd radio interference 10.0 3rd radio interference 10.0 4th radio interference 10.0 5th radio interference 10.0 6th radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference inductance-capacitance 3rd radio interference inductance-capacitance 4th radio interference inductance-capacitance 5th radio interference inductance-capacitance 6th radio interference

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 unthreaded hole

Functional Terminal Type And Quantity:

30 wire lead input 1st function 30 wire lead output 2nd function

Operating Voltage Rating And Type Per Function:

120.0 volts ac 1st radio interference 1st function and 120.0 volts dc 1st radio interference 1st function 120.0 volts ac 2nd radio interference 2nd function and 120.0 volts dc 2nd radio interference 2nd function 120.0 volts ac 3rd radio interference 3rd function and 120.0 volts dc 3rd radio interference 3rd function 120.0 volts ac 4th radio interference 4th function and 120.0 volts dc 4th radio interference 4th function 120.0 volts ac 5th radio interference 5th function and 120.0 volts dc 5th radio interference 5th function 120.0 volts ac 6th radio interference 6th function and 120.0 volts dc 6th radio interference 6th function

Body Material:

Metal

Special Features:

Thirty filtered functions

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Fiig:

A047b0