

View Online at <https://aerobasegroup.com/nsn/5915-01-255-8695>

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

**Load Impedance Per Function:**

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

60.0 1st radio interference 60.0 2nd radio interference

**Operating Current Rating Per Function In Amps:**

10.0 1st radio interference 10.0 2nd radio interference

**Maximum Voltage Drop Per Function:**

1.15 volts ac 1st radio interference 1.15 volts ac 2nd radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference

**Maximum Temperature Rise:**

25.0 degrees celsius

**Inclosure Type:**

Encased

**Operating Voltage Rating And Type Per Function:**

115.0 volts ac 1st radio interference 1st function 115.0 volts ac 2nd radio interference 2nd function

**Body Material:**

Metal

**Special Features:**

Two filtered functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0