NSN 5915-01-256-9602

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-256-9602

Overall Height:
0.825 inches
Body Length:
2.000 inches
Body Width:
1.700 inches
Body Height:
0.325 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.900 inches
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Reference Frequency Per Function:
31.5 7th high pass two phase to two phase
Source Impedance Rating Per Function:
31.5 ohms 2nd low pass
Load Impedance Per Function:
31.5 ohms 2nd low pass
Principal Circuitry Type Per Function:
Inductance-capacitance 2nd low pass
Inclosure Type:
Encased
Output Voltage Rating:
5.0 dc volts
Mounting Facility Type And Quantity:
6 terminal
Features Provided:
Active
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 1st low pass
Functional Terminal Type And Quantity:
2 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 31.50 hertz blank and 32.30 hertz blank and 32.75 hertz blank
Body Material:
Plastic
Frequency Band Width Per Function:
1.00 hertz blank and 31.50 hertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 30.0 blank
Special Features:

Two filtered functions

NSN 5915-01-256-9602

Low Pass Filter - Page 2 of 2



5 1	yıe) L	e	SI	gn	aτ	or	
_	4			.1 -	4			

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0