## NSN 5915-01-256-9604

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-256-9604

Overall Height:
0.825 inches
Body Length:
2.000 inches
Body Width:
1.700 inches
Body Height:
0.325 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.900 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.400 inches
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Reference Frequency Per Function:
80.0 hertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Inclosure Type:
Encased
Output Voltage Rating:
5.0 dc volts
Mounting Facility Type And Quantity:
6 terminal
Features Provided:
Active
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 80.00 hertz blank and 80.80 hertz blank and 81.25 hertz blank
Body Material:
Plastic
Frequency Band Width Per Function:
1.00 hertz blank and 80.00 hertz blank
Style Designator:

otyle besignator.

Rectangular terminal/terminals on one surface

## NSN 5915-01-256-9604

Low Pass Filter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0