

View Online at https://aerobasegroup.com/nsn/5915-01-258-3389

Overall Length: 0.777 inches Body Outside Diameter: 0.375 inches Operating Tempurature Range: -55.0/+125.0 degrees celsius Source Impedance Rating Per Function: 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz: 400.0 blank
Body Outside Diameter: 0.375 inches Operating Tempurature Range: -55.0/+125.0 degrees celsius Source Impedance Rating Per Function: 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
0.375 inches Operating Tempurature Range: -55.0/+125.0 degrees celsius Source Impedance Rating Per Function: 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
Operating Tempurature Range: -55.0/+125.0 degrees celsius Source Impedance Rating Per Function: 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
-55.0/+125.0 degrees celsius Source Impedance Rating Per Function: 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
Source Impedance Rating Per Function: 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
Load Impedance Per Function: 50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
50.0 ohms blank Power Line Frequency Rating Per Function In Hertz:
Power Line Frequency Rating Per Function In Hertz:
400.0 blank
Operating Current Rating Per Function In Amps:
15.0 blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unf
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
1 threaded bushing
Functional Terminal Type And Quantity:
1 tab, solder lug input 1st function1 tab, solder lug output 2nd function
Operating Voltage Rating And Type Per Function:
115.0 volts ac blank and 300.0 volts dc blank
Thread Size:
0.250 inches
Body Material:
Metal
Style Designator:
Round terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
_
Demilitarization:
No
Fiig:
A047b0