

View Online at <https://aerobasegroup.com/nsn/5915-01-260-8627>

Overall Height:

0.820 inches

Body Length:

1.420 inches

Body Width:

1.050 inches

Body Height:

0.630 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.300 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.600 inches

Operating Temperature Range:

-55.0/+105.0 degrees celsius

Reference Frequency Per Function:

3.6 megahertz blank

Source Impedance Rating Per Function:

5.0 kilohms blank

Load Impedance Per Function:

5.0 kilohms blank

Principal Circuitry Type Per Function:

Crystal blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

3.59675 megahertz blank and 3.59925 megahertz blank and 3.60075 megahertz blank and 3.60325 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

3.59925 megahertz blank and 3.60075 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0