

View Online at <https://aerobasegroup.com/nsn/5915-01-261-5354>

Overall Length:

3.500 inches

Body Length:

3.000 inches

Body Width:

2.000 inches

Body Height:

0.440 inches

Unthreaded Mounting Hole Diameter:

0.156 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.750 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Reference Frequency Per Function:

9.0 composition b grade a two phase to two phase

Source Impedance Rating Per Function:

50.0 ohms 2nd band pass

Load Impedance Per Function:

50.0 ohms 2nd band pass

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd band pass 2nd function

Input Terminal Manufacturer Code:

19544

Input Terminal Identification:

Sma-receptacle

Output Terminal Manufacturer Code:

19544

Output Terminal Identification:

Sma-receptacle

Voltage Standing Wave Ratio Per Function:

1.5 2nd band pass

Average Power Rating Per Function:

5.0 watts 2nd band pass 2nd function

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 2nd band pass

Functional Terminal Type And Quantity:

2 connector, receptacle output 2nd function

Body Material:

Aluminum

Frequency Band Width Per Function:

2.00 gigahertz 1st band pass and 16.00 gigahertz 1st band pass

Voltage Standing Wave Ratio Frequency Limits Per Function:

2.0 composition b grade a two phase to two phase and 16.0 composition b grade a two phase to two phase

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0