

View Online at <https://aerobasegroup.com/nsn/5915-01-262-0959>

Overall Height:

0.980 inches

Body Length:

0.890 inches

Body Width:

0.230 inches

Body Height:

0.630 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Operating Temperature Range:

-37.0/+85.0 degrees celsius

Average Life Rating In Hours:

250.0

End Application:

Sparrow aim-7

Reference Frequency Per Function:

180.0 kilohertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Crystal blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 tab

Features Provided:

Shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Maximum Dielectric Withstanding Ac Rms Voltage:

100.0 volts at sea level

Specified Frequencies Of Discrimination Per Function:

132.00 kilohertz blank and 164.00 kilohertz blank and 196.00 kilohertz blank and 228.00 kilohertz blank

Body Material:

Metal

Frequency Band Width Per Function:

164.00 kilohertz blank and 196.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 20.0 blank

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0