NSN 5915-01-262-1718

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-262-1718 **Overall Height:** 0.500 inches **Body Length:** 3.380 inches **Body Width:** 0.380 inches **Body Height:** 0.380 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 3.180 inches **Operating Tempurature Range:** -46.0/+75.0 degrees celsius **Average Life Rating In Hours:** 10000.0 **Reference Frequency Per Function:** 640.0 megahertz blank **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Voltage Standing Wave Ratio Per Function:** 1.5 blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: **Functional Terminal Type And Quantity:** 1 pin output 2nd function **Specified Frequencies Of Discrimination Per Function:** 600.00 megahertz blank and 639.00 megahertz blank and 641.00 megahertz blank and 680.00 megahertz blank **Thread Size:** 0.086 inches **Body Material:** Aluminum

Frequency Band Width Per Function:

639.00 megahertz blank and 641.00 megahertz blank

NSN 5915-01-262-1718

Band Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels:

80.0 blank and 5.0 blank and 5.0 blank and 80.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

639.0 megahertz blank and 641.0 megahertz blank

Precious Material And Location:

Terminal surfaces silver

Precious Material:

Silver

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A047b0