NSN 5915-01-266-5765

Radio Frequency Interference Filter - Page 1 of 2



| Tradio Frequency interiored Filter Frage For 2 |
|--|
| View Online at https://aerobasegroup.com/nsn/5915-01-266-5765 |
| Overall Length: |
| 2.729 inches |
| Overall Height: |
| 1.075 inches |
| Body Length: |
| 2.158 inches |
| Body Width: |
| 0.500 inches |
| Body Height: |
| 0.584 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.122 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 2.500 inches |
| Operating Tempurature Range: |
| -25.0/+85.0 degrees celsius |
| End Application: |
| 5815-01-230-3204 teleprinter |
| Source Impedance Rating Per Function: |
| 50.0 ohms 4th radio interference |
| Load Impedance Per Function: |
| 50.0 ohms 5th radio interference |
| Operating Current Rating Per Function In Amps: |
| 15.0 3rd radio interference |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance 6th radio interference |
| Inclosure Type: |
| Encased |
| |

Mounting Facility Type And Quantity:

2 unthreaded hole

Functional Terminal Type And Quantity:

37 friction w/grounding strap and pin output 2nd function

Operating Voltage Rating And Type Per Function:

100.0 volts dc 6th radio interference 6th function

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

250.0 volts at sea level

Special Features:

37 filtered contacts

Style Designator:

Rectangular terminal/terminals on opposite surfaces

NSN 5915-01-266-5765

Radio Frequency Interference Filter - Page 2 of 2



| Shelf Life: |
|------------------|
| N/a |
| Unit Of Measure: |

Demilitarization:

No

Fiig:

A047b0