

View Online at <https://aerobasegroup.com/nsn/5915-01-269-0889>

Overall Length:

0.860 inches

Body Outside Diameter:

0.280 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

End Application:

Test set, countermeasures set an/alm-233

Reference Frequency Per Function:

250.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Input Terminal Manufacturer Code:

34078

Input Terminal Identification:

Sma-plug

Output Terminal Manufacturer Code:

34078

Output Terminal Identification:

Sma-receptacle

Voltage Standing Wave Ratio Per Function:

1.25 blank

Average Power Rating Per Function:

2.0 watts blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 hertz blank and 500.00 megahertz blank and 1.00 gigahertz blank and 2.00 gigahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

1.00 hertz blank and 500.00 megahertz blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

1.0 hertz blank and 500.0 megahertz blank

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0