

View Online at <https://aerobasegroup.com/nsn/5915-01-271-5296>

Overall Height:

Between 0.430 inches and 0.510 inches

Body Length:

Between 0.290 inches and 0.330 inches

Body Width:

Between 0.260 inches and 0.300 inches

Body Height:

Between 0.290 inches and 0.330 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Operating Temperature Range:

-20.0/+70.0 degrees celsius

End Application:

Receiver, radi

Reference Frequency Per Function:

455.0 kilohertz blank

Source Impedance Rating Per Function:

2.0 kilohms blank

Load Impedance Per Function:

2.0 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

3 terminal

Features Provided:

Shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

442.50 kilohertz blank and 449.00 kilohertz blank and 461.00 kilohertz blank and 467.50 kilohertz blank

Body Material:

Metal

Frequency Band Width Per Function:

449.00 kilohertz blank and 461.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 6.0 blank and 6.0 blank and 40.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0