NSN 5915-01-283-6172

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-283-6172

Overa	II Le	ngth:

Between 1.250 inches and 1.374 inches

Body Length:

Between 0.780 inches and 0.844 inches

Operating Tempurature Range:

-55.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Operating Current Rating Per Function In Amps:

25.0 blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Maximum Tempurature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unef

Inclosure Type:

Hermetically sealed

Width Across Flats:

Between 0.360 inches and 0.390 inches

Mounting Facility Type And Quantity:

1 threaded bushing

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

1.0 kilovolts dc blank

Thread Size:

0.312 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

2.0 kilovolts at sea level

Body Surface Treatment:

Silver

Unpackaged Unit Weight:

8.0 grams

Precious Material And Location:

Body surface silver

Precious Material:

Silver

NSN 5915-01-283-6172

Radio Frequency Interference Filter - Page 2 of 2



Style Designator:		
Round terminal/terminals on opposite surfaces		
Shelf Life:		
N/a		
Unit Of Measure:		
Demilitarization:		
No		

Fiig: A047b0