

View Online at <https://aerobasegroup.com/nsn/5915-01-284-8412>

Body Outside Diameter:

0.500 inches

Vibration Resistance Range In Hertz:

+5.0/+2000.0

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Reference Frequency Per Function:

1.03 gigahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

4.7 blank

Specified Frequencies Of Discrimination Per Function:

988.00 megahertz blank and 1.02 gigahertz blank and 1.04 gigahertz blank and 1.082 gigahertz blank

Frequency Band Width Per Function:

1.02 gigahertz blank and 1.04 gigahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

1.02 gigahertz blank and 1.04 gigahertz blank

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0