## NSN 5915-01-288-4152



Radio Frequency Interference Filter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5915-01-288-4152	
Overall Length:	
1.180 inches	
Body Length:	
0.648 inches	
Body Outside Diameter:	
0.410 inches	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Source Impedance Rating Per Function:	
50.0 ohms blank	
Load Impedance Per Function:	
50.0 ohms blank	
Operating Current Rating Per Function In Amps:	
0.25 blank	
Maximum Voltage Drop Per Function:	
0.375 volts dc blank	
Principal Circuitry Type Per Function:	
Inductance-capacitance blank	
Maximum Tempurature Rise:	
25.0 degrees celsius	
Mounting Facility Screw Thread Series Designator:	
Unf	
Inclosure Type:	
Hermetically sealed	
Mounting Facility Type And Quantity:	
1 threaded bushing	
Functional Terminal Type And Quantity:	
1 tab, solder lug output 2nd function	
Operating Voltage Rating And Type Per Function:	
100.0 volts dc blank	
Thread Size:	
0.250 inches	
Body Material:	
Metal	
Body Surface Treatment:	
Tin	
Unpackaged Unit Weight:	
10.0 grams	
Style Designator:	
Round terminal/terminals on opposite surfaces	
Test Data Document:	
81349-mil-f-28861 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes engineering type bulletins).	fication

format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5915-01-288-4152

Radio Frequency Interference Filter - Page 2 of 2



S	pe	cifi	cati	ion	Data:

81349-mil-f-28861/2 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0