NSN 5915-01-294-3692

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-294-3692

Overall Length:

1.233 inches

Body Length:

Between 0.509 inches and 0.571 inches

Body Outside Diameter:

Between 0.365 inches and 0.385 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

End Application:

Mine neutralization system an/slq-48

Input Impedance Per Function W/load:

12.0 ohms blank

Output Impedance Per Function W/source Across Input:

12.0 ohms blank

Operating Current Rating Per Function In Amps:

0.06 blank

Maximum Voltage Drop Per Function:

0.72 volts 23rd band suppression not specified

Principal Circuitry Type Per Function:

Capacitance-inductance blank

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 threaded bushing

Functional Terminal Type And Quantity:

1 tab, solder lug input 1st function1 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

50.0 volts dc blank

Thread Size:

0.250 inches

Body Material:

Metal

Body Surface Treatment:

Tin

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

NSN 5915-01-294-3692

Radio Frequency Interference Filter - Page 2 of 2



| ш | ın | 10 | <i>(</i>)+ | Measure: | |
|---|----|----|-------------|----------|--|
| | | | | | |

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0