## NSN 5915-01-295-4514

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-295-4514

**Overall Height:** 

Between 0.960 inches and 1.040 inches

**Body Length:** 

Between 0.980 inches and 1.020 inches

**Body Width:** 

Between 0.480 inches and 0.520 inches

**Body Height:** 

Between 0.730 inches and 0.770 inches

**Reference Frequency Per Function:** 

60.0 megahertz blank

**Source Impedance Rating Per Function:** 

50.0 ohms blank

**Load Impedance Per Function:** 

50.0 ohms blank

**Principal Circuitry Type Per Function:** 

Inductance-capacitance blank

**Voltage Standing Wave Ratio Per Function:** 

1.3 blank

**Inclosure Type:** 

Encased

**Mounting Facility Type And Quantity:** 

1 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

**Functional Terminal Type And Quantity:** 

4 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:** 

30.00 megahertz blank and 55.25 megahertz blank and 64.75 megahertz blank and 90.00 megahertz blank

**Frequency Band Width Per Function:** 

55.25 megahertz blank and 64.75 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

 $60.0\,$  blank and  $3.0\,$  blank and  $60.0\,$  blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:** 

55.25 megahertz blank and 64.75 megahertz blank

**Precious Material And Location:** 

Body surface gold

**Precious Material:** 

Gold

**Style Designator:** 

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

## NSN 5915-01-295-4514

Band Pass Filter - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A047b0