

View Online at <https://aerobasegroup.com/nsn/5915-01-295-8471>

Overall Height:

1.200 inches

Body Length:

3.000 inches

Body Width:

2.000 inches

Body Height:

1.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.000 inches

Operating Temperature Range:

+0.0/+70.0 degrees celsius

End Application:

Test unit, acoustic ts-4144/p

Reference Frequency Per Function:

2.2 kilohertz blank

Source Impedance Rating Per Function:

150.0 ohms blank

Load Impedance Per Function:

150.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

0.8 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

40.00 hertz blank and 200.00 hertz blank and 400.00 hertz blank and 4.00 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

400.00 hertz blank and 4.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

51.56 blank and 75.55 blank and 3.0 blank and 1.0 blank

Special Features:

Active highpass filter; two 15vdc supply (+v, -v) and one offset voltage adjustment (os1) terminals

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0