## NSN 5915-01-302-2734

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-302-2734

**Overall Length:** 

Between 5.820 inches and 6.180 inches

**Overall Height:** 

Between 2.560 inches and 2.680 inches

**Overall Width:** 

Between 9.190 inches and 9.550 inches

**Body Length:** 

Between 4.440 inches and 4.560 inches

**Body Width:** 

Between 8.190 inches and 8.310 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 

Between 6.970 inches and 7.030 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 5.297 inches and 5.327 inches

**Operating Tempurature Range:** 

+0.0/+50.0 degrees celsius

**Source Impedance Rating Per Function:** 

50.0 ohms 2nd radio interference

**Load Impedance Per Function:** 

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:** 

420.0 2nd radio interference

**Operating Current Rating Per Function In Amps:** 

10.0 2nd radio interference

**Maximum Voltage Drop Per Function:** 

130.0 volts ac 2nd radio interference

**Principal Circuitry Type Per Function:** 

Inductance-capacitance 2nd radio interference

**Average Power Rating Per Function:** 

8.0 watts 2nd radio interference

Mounting Facility Screw Thread Series Designator:

Unif

**Inclosure Type:** 

Hermetically sealed

Mounting Facility Type And Quantity:

6 threaded hole

**Functional Terminal Type And Quantity:** 

2 threaded stud input 1st function

**Operating Voltage Rating And Type Per Function:** 

130.0 volts ac 1st radio interference 1st function and 400.0 volts dc 1st radio interference 1st function

**Thread Size:** 

0.190 inches

## NSN 5915-01-302-2734

Radio Frequency Interference Filter - Page 2 of 2



Body Material:
Metal
<b>Body Surface Treatment:</b>
Tin
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A047b0