

View Online at <https://aerobasegroup.com/nsn/5915-01-306-0220>

Overall Height:

0.823 inches

Body Length:

2.530 inches

Body Width:

0.560 inches

Body Height:

0.590 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

+0.0/+50.0 degrees celsius

End Application:

An/frt-96 transmitting set, radio

Reference Frequency Per Function:

451.7 kilohertz blank

Source Impedance Rating Per Function:

5.0 kilohms blank

Load Impedance Per Function:

5.0 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Inclosure Type:

Encased

Output Voltage Rating:

10.0 dc volts

Mounting Facility Type And Quantity:

4 terminal

Features Provided:

Active and time delay

Insertion Loss At Reference Frequency Per Function In Decibels:

5.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

449.50 kilohertz blank and 450.30 kilohertz blank and 453.10 kilohertz blank and 454.10 kilohertz blank

Body Material:

Plastic

Frequency Band Width Per Function:

450.30 kilohertz blank and 453.10 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0