

View Online at <https://aerobasegroup.com/nsn/5915-01-311-3684>

**Overall Length:**

43.560 inches

**Body Length:**

Between 11.970 inches and 12.030 inches

**Body Width:**

Between 3.970 inches and 4.030 inches

**Body Height:**

Between 1.970 inches and 2.030 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

11.250 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

3.250 inches

**Operating Temperature Range:**

-40.0/+85.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms 3rd radio interference

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

63.0 1st radio interference

**Operating Current Rating Per Function In Amps:**

1.75 3rd radio interference

**Maximum Voltage Drop Per Function:**

1.15 volts ac 3rd radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 3rd radio interference

**Input Terminal Manufacturer Code:**

02777

**Input Terminal Identification:**

Sma-receptacle

**Output Terminal Manufacturer Code:**

02777

**Output Terminal Identification:**

Sma-receptacle

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

8 threaded hole

**Features Provided:**

Moisture resistant and shock resistant

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Operating Voltage Rating And Type Per Function:**

115.0 volts ac 3rd radio interference 3rd function

**Thread Size:**

0.190 inches

**Body Material:**

Aluminum or metal

**Body Surface Treatment:**

Cadmium or zinc

**Special Features:**

Wire lead with plug; three filtered functions

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0