NSN 5915-01-322-0898

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-322-0898 **Overall Length:** 0.857 inches **Body Length:** 0.717 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **End Application:** 5985-01-283-2515 antenna **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Operating Current Rating Per Function In Amps:** 0.5 blank **Maximum Voltage Drop Per Function:** 0.5 volts dc blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank Full Load Insertion Loss Frequencies In Megahertz: 0.1 and 0.15 and 0.3 and 1.0 and 10.0 and 1000.0 Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels: 8.0 and 11.0 and 17.0 and 30.0 and 65.0 and 70.0 **Mounting Facility Screw Thread Series Designator:** Unef **Inclosure Type:** Encased Width Across Flats: 0.250 inches **Mounting Facility Type And Quantity:** 1 threaded bushing **Features Provided:** Nut and washer **Functional Terminal Type And Quantity:** 1 tab, solder lug output 2nd function **Operating Voltage Rating And Type Per Function:** 50.0 volts dc blank **Thread Size:** 0.216 inches

Metal

Body Material:

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

NSN 5915-01-322-0898

Radio Frequency Interference Filter - Page 2 of 2



Body Surface Treatment:
Silver
Precious Material And Location:
External surfaces silver
Precious Material:
Silver
Style Designator:
Round terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A047b0