

View Online at <https://aerobasegroup.com/nsn/5915-01-323-6826>

Overall Length:

11.740 inches

Body Length:

3.370 inches

Body Width:

3.000 inches

Body Height:

2.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.000 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.625 inches

Operating Temperature Range:

-15.0/+55.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

60.0 2nd radio interference

Operating Current Rating Per Function In Amps:

3.0 2nd radio interference

Maximum Voltage Drop Per Function:

11.5 volts ac 2nd radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd radio interference

Input Terminal Manufacturer Code:

13222

Input Terminal Identification:

Ms3124e12-3p

Maximum Temperature Rise:

20.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded hole

Features Provided:

Shock resistant

Functional Terminal Type And Quantity:

2 wire lead input 1st function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 2nd radio interference 2nd function

Thread Size:

0.164 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

200.0 volts at sea level

Body Surface Treatment:

Tin

Special Features:

Wire leads with receptacle connector

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0