NSN 5915-01-324-5850

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-324-5850

Overall Length:

7.490 inches

Body Outside Diameter:

2.500 inches

Operating Tempurature Range:

-54.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

25.0 ohms blank

Load Impedance Per Function:

25.0 ohms blank

Power Line Frequency Rating Per Function In Hertz:

400.0 blank

Operating Current Rating Per Function In Amps:

75.0 blank

Maximum Voltage Drop Per Function:

1.2 volts ac blank and 4.0 volts dc blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unef

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

1 threaded bushing

Features Provided:

Moisture resistant

Functional Terminal Type And Quantity:

1 threaded stud output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

240.0 volts at sea level

Operating Voltage Rating And Type Per Function:

120.0 volts ac blank and 400.0 volts dc blank

Thread Size:

1.125 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

800.0 volts at sea level

Body Surface Treatment:

Tin

Style Designator:

Round terminal/terminals on opposite surfaces

NSN 5915-01-324-5850

Radio Frequency Interference Filter - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0