

View Online at <https://aerobasegroup.com/nsn/5915-01-326-2764>

Overall Length:

7.490 inches

Body Length:

6.110 inches

Body Width:

4.500 inches

Body Height:

2.250 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

4.000 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

End Application:

5895-01-288-9885 communication

Source Impedance Rating Per Function:

50.0 ohms 3rd radio interference

Load Impedance Per Function:

50.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 3rd radio interference

Operating Current Rating Per Function In Amps:

30.0 1st radio interference

Maximum Voltage Drop Per Function:

1.5 volts ac 1st radio interference and 1.5 volts dc 1st radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd radio interference

Maximum Temperature Rise:

35.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Features Provided:

Nut

Functional Terminal Type And Quantity:

3 threaded stud input 1st function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 3rd radio interference 3rd function and 400.0 volts dc 3rd radio interference 3rd function

Thread Size:

0.190 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

1.0 kilovolts at sea level

Special Features:

Three unfiltered connectors

Unpackaged Unit Weight:

4.410 pounds

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0