

View Online at <https://aerobasegroup.com/nsn/5915-01-326-2764>

**Overall Length:**

7.490 inches

**Body Length:**

6.110 inches

**Body Width:**

4.500 inches

**Body Height:**

2.250 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

4.000 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**End Application:**

5895-01-288-9885 communication

**Source Impedance Rating Per Function:**

50.0 ohms 3rd radio interference

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

400.0 3rd radio interference

**Operating Current Rating Per Function In Amps:**

30.0 1st radio interference

**Maximum Voltage Drop Per Function:**

1.5 volts ac 1st radio interference and 1.5 volts dc 1st radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 3rd radio interference

**Maximum Temperature Rise:**

35.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Features Provided:**

Nut

**Functional Terminal Type And Quantity:**

3 threaded stud input 1st function

**Operating Voltage Rating And Type Per Function:**

115.0 volts ac 3rd radio interference 3rd function and 400.0 volts dc 3rd radio interference 3rd function

**Thread Size:**

0.190 inches

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

1.0 kilovolts at sea level

**Special Features:**

Three unfiltered connectors

**Unpackaged Unit Weight:**

4.410 pounds

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0