

View Online at <https://aerobasegroup.com/nsn/5915-01-326-7653>

**Overall Length:**

33.750 inches

**Mounting Slot Width:**

0.406 inches

**Body Length:**

30.000 inches

**Body Width:**

4.000 inches

**Body Height:**

8.000 inches

**Operating Temperature Range:**

-55.0/+105.0 degrees celsius

**End Application:**

Training set, electronic warfare

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Power Line Frequency Rating Per Function In Hertz:**

60.0 blank

**Operating Current Rating Per Function In Amps:**

200.0 blank

**Maximum Voltage Drop Per Function:**

2.0 volts ac blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Maximum Temperature Rise:**

20.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Features Provided:**

Mounting bracket and nut

**Functional Terminal Type And Quantity:**

1 threaded stud output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

554.0 volts at sea level

**Operating Voltage Rating And Type Per Function:**

277.0 volts ac blank

**Thread Size:**

0.375 inches

**Body Material:**

Metal

**Special Features:**

Mfour no. 1 (0.375 in.) - 16 thd studs equally spaced on 6.000 in. By 4.000 in. Mtg centers located at one end; one mounting bracket with 0.406 in. Mtg slots equally spaced 4.000 in. C to c located at opposite end

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0