## NSN 5915-01-327-4692

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-327-4692

### **Overall Length:**

Between 1.950 inches and 2.010 inches

### **Body Length:**

Between 1.240 inches and 1.300 inches

## Body Outside Diameter:

Between 0.690 inches and 0.750 inches

## **Reference Frequency Per Function:**

17.5 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

## Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

#### Inductance-capacitance blank

Input Terminal Manufacturer Code:

15542

## Input Terminal Identification:

Sma-receptacle

**Output Terminal Manufacturer Code:** 

15542

**Output Terminal Identification:** 

Sma-receptacle

Voltage Standing Wave Ratio Per Function:

1.7 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

## Insertion Loss At Reference Frequency Per Function In Decibels:

1.0 blank

## Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

## **Specified Frequencies Of Discrimination Per Function:**

1.00 hertz blank and 35.00 megahertz blank and 47.00 megahertz blank and 61.00 megahertz blank

#### **Body Material:**

Metal

#### Frequency Band Width Per Function:

1.00 hertz blank and 35.00 megahertz blank

## Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 20.0 blank

### Voltage Standing Wave Ratio Frequency Limits Per Function:

1.0 hertz blank and 35.0 megahertz blank

# NSN 5915-01-327-4692

Low Pass Filter - Page 2 of 2



## Body Surface Treatment:

Nickel

Unpackaged Unit Weight:

42.0 grams

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A047b0