## NSN 5915-01-328-8964

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-328-8964 **Overall Length:** 3.300 inches **Overall Height:** 2.020 inches Overall Width: 1.000 inches **Unthreaded Mounting Hole Diameter:** Between 0.126 inches and 0.160 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.300 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.800 inches **Operating Tempurature Range:** -40.0/+85.0 degrees celsius **End Application:** Shoehorn **Operating Current Rating Per Function In Amps:** 100.0 blank and 150.0 blank Full Load Insertion Loss Frequencies In Megahertz: 0.5 and 4.0 Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels: 47.0 and 34.0 **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 unthreaded hole **Features Provided:** Shock resistant **Functional Terminal Type And Quantity:** 3 connector, receptacle input-output **Operating Voltage Rating And Type Per Function:** 15.0 volts dc blank and 5.0 volts dc blank **Unpackaged Unit Weight:** 7.000 ounces **Style Designator:** Filter connector **Reference Number Differentiating Characteristics:** As differentiated by the source control dwr no. Shelf Life: N/a **Unit Of Measure:** 

--

## NSN 5915-01-328-8964

Radio Frequency Interference Filter - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A047b0