

View Online at <https://aerobasegroup.com/nsn/5915-01-329-7113>

Overall Height:

0.500 inches

Body Length:

0.750 inches

Body Width:

0.380 inches

Body Height:

0.380 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.600 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.260 inches

Operating Temperature Range:

+0.0/+25.0 degrees celsius

Reference Frequency Per Function:

200.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Average Power Rating Per Function:

1.0 watts blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 pin

Insertion Loss At Reference Frequency Per Function In Decibels:

1.5 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

195.00 megahertz blank and 197.50 megahertz blank and 202.50 megahertz blank and 205.00 megahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

197.50 megahertz blank and 202.50 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 30.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

197.5 megahertz blank and 202.5 megahertz blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0